

Foldable Seat Assembly Manual


BULLITT®
COPENHAGEN

**OFFICIAL
MANUAL**




Before you start

Equipment required




Honeycomb Board

Tools required




Grease Allen/Hex key Wrenches

Pay attention to these icons

 = Important / pay attention!


 Grease

Grease sensitive parts (metal on metal). Look out for the grease icon which will appear throughout the manual.



Step 1 Prepare for mounting

Tools



Components

X2



1




2

1.0



Set the bolts aside.
Be sure not to loose any washers or
bolts in the process



Turn seat
around




- 1.0 → Remove the two bolts 1 and spring washers 2 from the struts of the seat with a 5mm hex key and grease them.



Step 2 Prepare for mounting

2.0

Tools



13
mm

Components

X2



1





2



3



Set the bolts aside.
Be sure not to loose any washers or
bolts in the process



2.1

2.0 → Remove the top nut 1 and washers 2, 3 from the bolts in the back rest of the seat with a 13mm spanner.

2.1 → Tighten the remaining nut with a 13mm spanner until you meet resistance.

Step 3 Mounting Foldable Seat

3.0

Tools



5

mm

Components

X2





1



2

FIG. A




3.0 → Place the seat into the cargo area, unfold it and align the struts (**FIG. A**) with the holes in the frame.

Insert the bolts **1** with a spring washer **2** from the outer side of the frame and into the strut with a 5mm hex key. (don't tighten fully until both are in)

Step 4 Mounting Foldable Seat

4.0

Tools




- 4.0 → Fold the seat and insert the bolts in the headrest bracket (**FIG. A**) in the frame and grease them. (You may need to lift the seat slightly)

Step 5 Mounting Foldable Seat

5.0

Tools



13
mm

Components


X2



1



2



3




Remember to alternate
between the two nuts when
tightening



- 5.0 → Add the flat washer **3** then the serrated washer **2** then the nut **1** and tighten on both bolts alternately with a 13mm spanner until you meet resistance.

Step 6 Unfold your Foldable Seat!

6.0



6.0 → Undo the velcro to fold out the seat.

6.1 → (OPTIONAL) Bring the headrest **1** up and fasten to the steering rod using the clip. (FIG. A)

Step 7 Fasten Up!

7.0

FIG. A






FIG. B



7.0 → You can adjust the seatbelts to be used for one (FIG. A) or two people (FIG. B).

Step 8 Test Ride!

8.0



*Check ALL clamp bolts
before test ride. Re-tighten
bolts regularly.*



8.0 → Before you go on that sweet test ride - Check for rattles, steering alignment, brake and gear adjustment.

And now... you are ready to test your foldable seat!
We hope you'll enjoy the ride and take care out there!